


Yealink Solutions for Microsoft

Bringing Microsoft Teams Experience to Every Space



Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Solution Provider

One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



Simplicity of Experience

True Teams 'best of breed' with consistent Teams experience to drive user adoption




Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform




Global Coverage & Support Services

Professional support and post-sales services for worldwide customers



Video Solutions



Voice Solutions



USB Peripherals

 Certified for
Microsoft Teams

Yealink Video Device Solutions for Microsoft Teams

Full Portfolio Video Devices for Microsoft Teams



Video
Phone



Microsoft Teams Rooms
on Android



Microsoft Teams Rooms
on Windows

Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A20 and A30 for small and medium spaces, but also provides the MVC940 and MVC960 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

Microsoft Teams Rooms on Android



MeetingBar A20 for huddle and small rooms

-  All-in-one MeetingBar for smart Teams collaboration
-  120° field of view, 20MP, AI-powered camera
-  HD full-duplex audio experience
-  Quick setup and easy to manage



MeetingBar A30 for medium rooms

-  All-in-one MeetingBar with smart AI features
-  Dual-camera system for large views
-  HD full-duplex audio and great pickup range
-  Plug-and-play setup and easy management

Microsoft Teams Video Phone



VP59 Teams Video Phone for executive desk and huddle rooms

-  Start Teams meeting easily with standalone Teams video phone
-  Compatible with superb audio & video devices
-  Quick setup within 4 steps of cable connection

Specifications

MeetingBar A20 Teams Edition

A20 -Teams Package

- MeetingBar A20
- 3m Ethernet cable
- 1.8m HDMI cable *2
- Mounting Bracket and Accessories
- Power adapter
- Quick Start Guide

Camera

- 20MP Camera
- 120° field of view
- 8x e-PTZ camera
- Electric privacy shutter
- AI Feature
- Auto Framing
- Speaker Tracking

Audio

- Built-in 8 MEMS microphone array
- Support extension mic
- Built-in 5W high fidelity speaker
- Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- Full-duplex
- Echo cancellation

Meeting Features

- Calendar
- One-click join
- Proximity join
- PSTN dial-in
- Meeting collaboration
- Content sharing
- Whiteboard
- Meeting control:
- Add participants
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

MeetingBar A30 Teams Edition

A30 -Teams Package

- MeetingBar A30
- 3m Ethernet cable
- 2 x 1.8m HDMI cable
- Mounting Bracket and Accessories
- Power adapter
- Quick Start Guide
- Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System

- Wide Camera:
- 8MP Camera
- Field of view: 120°
- 4x e-PTZ Camera
- Telephoto Camera:
- 8MP Camera
- Field of view: 90°
- 10x Hybrid Zoom (3.5x optical, 3x digital)
- Horizontal Rotation
- Angle: +25°/-25°
- Vertically Rotation
- Angle: +16°/-16°
- Electric Privacy Shutter
- Intelligence Features
- Auto Framing
- Speaker Tracking

Audio

- Built-in 8 MEMS microphone array
- Support extension mic
- Two Built-in 5W high fidelity speaker
- Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- Full-duplex
- Echo cancellation

Meeting Features

- Calendar
- One-click join
- Meeting collaboration
- Content sharing
- Whiteboard
- Meeting control
- Add participants
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft DM
- Proximity join

VP59 Teams Edition

- 8 inch (1280 x 800) capacitive adjustable touch screen
- Optimal HD audio, support Yealink Noise Proof technology
- HDMI for connection to monitor or TV Based on Android 9.0

- Full-duplex hands-free speakerphone with AEC
- Microsoft Teams-tailored user interface
- Support Microsoft/Yealink/Unify Square device management platform

- 2 mega-pixel HD camera with privacy shutter
- Built-in Bluetooth 4.2
- Built-in dual band 2.4G/5G Wi-Fi
- USB 2.0 port
- Dual-port Gigabit Ethernet, PoE support

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- Easy to Use
- One-touch to join



Wireless Content Sharing

- One tap to share content wirelessly with WPP20



One CAT5e Cable
Connecting TV and
Conference Table Areas

Simplified Cabling System

- Shorten deployment time
- For all MVC II room systems

Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320
for focus and small rooms (2-6 users)



UVC30
4K camera, 120°FoV, Auto Framing



MSpeech
HD voice, full-duplex, 10ft/6 meter pickup range



MVC400
for huddle and small rooms (2-7 users)



UVC40 All-in-One USB Video Bar
AI features: Auto Framing & Speaker Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone



MVC640
for medium rooms (7-11 users)



UVC84
4K camera, 12x optical zoom, Auto Framing



MSpeech
HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless-CPW90
for medium rooms (7-11 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



CPW90

360° 10 feet voice pickup range, flexibility in placement without any wiring troubles.



MVC840
for medium and large rooms (12-18 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



VCM34

360° 20 feet voice pickup range, cascade connection for up to 6 units



MVC940
for extra-large rooms (>18 users)




UVC84

4K camera, 12x optical zoom, multi-camera solution with AVHub (up to 9 cameras)



Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



MVC660
for medium rooms (7-11 users)



UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC860
for medium and large rooms (12-18 users)



UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II



MVC960
for extra-large rooms (>18 users)



UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking, multi-camera Solution with AVHub (up to 9 cameras)



Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



Yealink MVC Series Teams Room System Specification

Module			MVC960	MVC940	MVC860	MVC840
						
Target Room Size			Extra large rooms	Extra large rooms	Large rooms	Large rooms
Components	Mini-PC		Yealink Mcore			
	Touch Console & Sharing Device		Yealink MTouch II			
	USB Camera		AVHub 2x Yealink UVC86 Dual-Eye Intelligent Camera	AVHub 2x Yealink UVC84 4k 12X optical PTZ camera	Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera
	Audio		Flexible options	Flexible options	VCM34 array mic/CPW90 wireless mic/VCM38 ceiling mic + Yealink soundbar	2x VCM34 array mics + Yealink soundbar 3x VCM34 array mics + 2x Yealink soundbar
	Wireless Presentation		2x WPP20	2x WPP20	WPP20 (Optional)	Optional
	MVC-BYOD-Extender		✓	Optional	Optional	Optional
MCore	CPU		Intel QUAD-CORE i5-8265U			
	Memory		8GB (2*4GB)			
	Storage		128GB SSD			
	Video Output		2x HDMI, CEC supported			
	USB		4x USB3.0			
	Wi-Fi		✓			
	Bluetooth		✓			
	Yealink VCH Port		✓			
	Cable Management		✓			
	MTouch II	Screen Size		8 inches IPS screen		
Screen Resolution		1280 x 800				
Bracket		Adjustable 28° ~ 50°				
Human Motion Sensor		✓				
3.5mm Audio Port		✓				
USB-A Port		1x USB-A Port, connect to USB audio device if necessary				
Content Sharing Resolution / Frame Rate		1080P / 30FPS				
Video Input interface for Content Sharing		HDMI & USB-C				
Built-in Wi-Fi AP for Content Sharing		✓				
Wireless Content Sharing		Work with Yealink WPP20 wireless presentation pod				
Camera Features	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0
	Zoom		12X optical	12X optical	20XHD zoom(12X optical, 1.7X digital)	12X optical
	Resolution / Frame Rate		4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS
	Field of View(diagonal)		90°	80°	90°	80°
	Pan/Tilt range		200°/130°	200°/130°	200°/130°	200°/130°
	Auto Framing		✓	✓	✓	✓
	Speaker Tracking		✓	x	✓	x
	Presenter Tracking		✓	x	✓	x
	Audio Ports		1x VCH port (RJ45) for mic and speaker 1x Line-in port for audio reference	1x VCH port (RJ45) for mic and speaker 1x Line-out port	1x Yealink VCH port (RJ45) + 1x Line-in port	1x VCH port (RJ45) for mic and speaker 1x Line-out port
Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	
AVHub	Camera Layout		Support camera layout including full screen, surrond, division	Support camera layout including full screen, surrond, division	NA	NA
	Maximum number of cameras		Up to 9	Up to 9		
	Audio Ports		7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port	7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port		
Audio Features	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz
		RMS	10W	10W	10W	10W
		THD	1.00%	1.00%	1.00%	1.00%
		Maximum Speakers	Up to 4	Up to 4	Up to 4	Up to 4
	Microphone		Support VCM34 tabletop or VCM38 ceiling mics	Support VCM34 tabletop or VCM38 ceiling mics	2~6 VCM34 array mics	2~3 VCM34 array mics
			Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	2~8 VCM38 ceiling mics	Built-in 3-mic array
			360° voice pickup	360° voice pickup	2~4 CPW90 wireless mics	20ft(6-meter) voice pickup range
			Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	NA	Cascade connection up to 6 units
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc
	Preload	Operating System		Windows 10 IoT Enterprise OS & License		
Microsoft Teams Rooms App		✓				
Yealink RoomConnect Device Management Agent		✓				
Device Management	Windows Update		✓			
	Yealink Device Management Platform/Cloud Service		✓			
	Microsoft SCCM		✓			
	Microsoft Intune		✓			

Yealink MVC Series Teams Room System Specification

Module			MVC660	MVC640- Wireless-CPW90	MVC640	MVC400	MVC320
							
	Target Room Size		Medium rooms	Medium rooms	Medium rooms	Small rooms	Focus rooms
Components	Mini-PC		Yealink MCore				
	Touch Console & Sharing Device		Yealink MTouch II				
	USB Camera		Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC40 all-in-one USB video bar	Yealink UVC30 Room 4K camera
	Audio		Yealink MSpeech tabletop speakerphone	2x CPW90 wireless mics + Yealink soundbar			Yealink MSpeech tabletop speakerphone
	Wireless Presentation		WPP20 (Optional)	WPP20 (Optional)	Optional	Optional	Optional
	MVC-BYOD-Extender		NA	Optional	NA	Optional	NA
MCore	CPU		Intel QUAD-CORE i5-8265U				
	Memory		8GB (2*4GB)				
	Storage		128GB SSD				
	Video Output		2x HDMI, CEC supported				
	USB		4x USB3.0				
	Wi-Fi		✓				
	Bluetooth		✓				
	Yealink VCH Port		✓				
	Cable Management		✓				
MTouch II	Screen Size		8 inches IPS screen				
	Screen Resolution		1280 x 800				
	Bracket		Adjustable 28° ~ 50°				
	Human Motion Sensor		✓				
	3.5mm Audio Port		✓				
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary				
	Content Sharing Resolution / Frame Rate		1080P / 30FPS				
	Video Input interface for Content Sharing		HDMI & USB-C				
	Built-in Wi-Fi AP for Content Sharing		✓				
Camera Features	Wireless Content Sharing		Work with Yealink WPP20 wireless presentation pod				
	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0
	Zoom		20X HD zoom (12X optical, 1.7 digital)	36X HD zoom (12X optical, 3X digital)	12X optical	8X digital	3X digital
	Resolution / Frame Rate		4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS
	Field of View(diagonal)		90°	80°	80°	133°	120°
	Pan/Tilt range		200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ
	Auto Framing		✓	✓	✓	✓	✓
	Speaker Tracking		✓	x	x	✓	x
	Presenter Tracking		✓	x	x	x	x
	Audio Ports		1x Yealink VCH port (RJ45) + 1x Line-in port	1x Yealink VCH port (RJ45) + 1x Line-out port	1x VCH port (RJ45) for mic and speaker 1xLine-out port	1x VCH port (RJ45) for mic 1x Line-in port	NA
Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	NA	
AVHub	Camera Layout		NA	NA	NA	NA	NA
	Maximum number of cameras						
	Audio Ports						
Audio Features	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	115 Hz -16 KHz
		RMS	3W	10W	10W	3W	4W
		THD	1.00%	1.00%	1.00%	1.00%	1.00%
		Maximum Speakers	NA	Up to 4	NA	NA	NA
	Microphone		1x MSpeech Speakerphone	2x CPW90 wireless mic	1x MSpeech Speakerphone	Built-in microphone	1x MSpeech Speakerphone
			Built-in 10-mic array	DECT technology, up to 50 meters distance	Built-in 3-mic array	8 MEMS mic array	Built-in 10-mic array
			20ft (6-meter) voice pickup range	10ft(3-meter) voice pickup range of every microphone unit	20ft (6-meter) voice pickup range	Beamforming microphone technology	20ft (6-meter) voice pickup range
			NA	Supports up to 4 wireless microphone units	NA	NA	NA
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	NA	NA
Preload	Operating System		Windows 10 IoT Enterprise OS & License				
	Microsoft Teams Rooms App		✓				
	Yealink RoomConnect Device Management Agent		✓				
Device Management	Windows Update		✓				
	Yealink Device Management Platform/Cloud Service		✓				
	Microsoft SCCM		✓				
	Microsoft Intune		✓				



Yealink Collaboration Display Solutions for Microsoft Teams

Collaborative, Innovative, Effective

Microsoft Teams Rooms on Android

MeetingBoard

An innovative collaboration display for creative teamwork

- All-in-one design that fits all meeting rooms
- Smart collaboration whiteboard
- Premium and intelligent video experience
- Premium full-duplex audio experience



DeskVision A24

A desktop collaboration display for your instant workspace

- PC monitor mode & video conference terminal mode
- High quality microphone and speakers
- Full-HD video call
- Wireless charger for mobile phone



MeetingBoard Specifications

Module



OS	OS	Android 10
Chipset	SoC	QUALCOMM SNAPDRAGON 845
Display	Size	65/85 inch
	Backlight type	D-LED
	Resolution	3840 x 2160
	Ratio	16:9
	Anti-Fingerprint	✓
	Anti-Glare	✓
Built-in Camera	Resolution	3840*2160
	Lens	8MP
	Field of view	120° diagonal field of view
	Zoom	e-PTZ
	Privacy shutter	4 x digital zoom
	Microphone	Automatic Hiding Shutter
Audio	Speaker	Built-in 16 MEMS Mic Array
	RCA input/output	4 full range+2 tweeter stereo speakers
	Acoustic echo cancellation	✓
	Reverberation suppression	✓
	Beamforming technology	✓
	LED lightstrips	✓
Buttons	Home button	✓
	Input source button	✓
	Volume up/down button	✓
		✓
Connections	HDMI	1 × HDMI output
		1 × HDMI input
	CEC	✓
	PTZ camera port	✓
	VCH	1 × Yealink VCH port (RJ-45)
	USB	3 × USB Type A
	Ethernet port	1 x 10/100M/1000M Ethernet port
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band
	Bluetooth	Built-in Bluetooth 5.0
	Security lock slot	e-PTZ
		4 x digital zoom
	Windows OPS slot	Automatic Hiding Shutter
	Reset slot	✓
	Motion sensor	✓

DeskVision A24 Specifications

Module



Screen Specifications	Dimensions	23.8 inch
	Resolution	1920 x 1080
	Refresh Rate	60Hz
	Color Depth	8 bit
	Contrast Ratio	1000:1
	Viewing angle	Horizontal: 178°
		Pitch: 178°
Camera Specifications	Multi-touch	10 points
	Camera FOV	90°
	Video Specifications	Up to 1080p30 Video Call
	Privacy protection	Automatically lifted or manually controlled lift
Audio Specifications	Microphone Type	Built-in microphone array
	Intelligent noise cancellation technology	✓
	Speaker	Built-in Stereo Speaker
Application Mode	Dual Mode	Built-in Android + Monitor Mode
	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2
Application Mode	HDMI in	1
	USB-C	1x USB-C 3.0 upstream , DP-IN, provide PD up to 45w
		1x USB-C 3.0 downstream interfaces for connecting peripherals, Only supports the use of PCs connected to the USB-C upstream interface
Physical interface	USB-A	2x USB-A 3.0 downstream interfaces for connecting peripherals, Only supports the use of PCs connected to the USB-C upstream interface
		1x USB-A 2.0 downstream interface, used to connect to headphones
	Power	DC 19V
	Wireless Charging	Support wireless charging for mobile phone
	Button	Power、Volume、Mute、Camera on/off、Switch mode、Teams button



Certified for
Microsoft Teams

Yealink Voice Device Solutions for Microsoft Teams



THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.


A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices


Shared devices



Common Areas



Front Desk/Open space



Executive



On-the-go/huddle room



Team collaboration



Desk phone



Speakerphone



Conference phone



High-Quality Audio

- Optimal HD audio, Yealink Noise Proof Technology
- Full-duplex hands-free speakerphone with AEC



Native Microsoft Teams Experience

- Embedded native Teams-tailored user interface
- Consistent Teams calling and meeting experience




Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision


Desk Phone



Yealink MP50
Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking





Yealink MP54
Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces



Yealink MP56
Mid-level Microsoft Teams phone for office workers



Yealink MP58/MP58-WH
Premium Microsoft Teams phone for executives and professionals




*Some desk phone models are certified by Skype of Business, please contact our sales for details.

Conference Phone




Yealink CP965
Best-in-class conference phone for Microsoft Teams



Features \ Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	✓	✓	✓	✓	X
Backlight	✓	✓	✓	✓	✓
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	✓	✓	✓	✓	✓
Message Waiting Indicator (MWI)	✓	✓	✓	✓	X
Multiple languages	✓	✓	✓	✓	✓
Dedicated Teams Button	✓	✓	✓	✓	X
Wall mount	✓	✓	✓	✓	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	✓	✓	✓	✓	✓
CNG (Comfort noise generator)	✓	✓	✓	✓	✓
AJB (Adaptive jitter buffer)	✓	✓	✓	✓	✓
PLC (Packet loss concealment)	✓	✓	✓	✓	✓
AGC (Automatic gain control)/ NS (Noise Suppression)	✓	✓	✓	✓	✓
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x(Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x(Supported via Dongle WF50)	X	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	✓	✓	✓	X	✓
Expansion Module support	EXP50	EXP50	X	X	X
Bluetooth Handset support	✓(MP58-WH)	X	X	X	X
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af) , class 3	(IEEE 802.3af) , class 3	(IEEE 802.3af) , class 3	NA	(IEEE 802.3af) , class 3
RJ9 handset port	✓	✓	✓	✓	X
RJ9 headset port	✓	✓	✓	✓	X
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	X
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	✓	✓	✓	NA	✓
Yealink Redirection and Provisioning Service (RPS)	✓	✓	✓	NA	✓

Migration of Yealink Voice Devices from Skype for Business to Teams

- ✓ Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.
- ✓ Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.



For any queries, please contact us via UCinfo@yealink.com




Yealink USB Peripheral Solutions for Microsoft Teams

A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice

Video



UC Workstation

Headset

Speakerphone

Camera

Video Bar

USB Peripherals

Headset



UH34 & UH34 Lite Dual/Mono
Essential USB Wired Headset

- Flexible connectivity
- Native integration
- Excellent audio performance
- All day wearing comfort



UH36 Dual/Mono
Premium USB Wired Headset

- Flexible connectivity
- Native integration
- Excellent audio performance
- All day wearing comfort



UH38 Dual/Mono
USB Wired Headset Master

- Dual Noise-Canceling Microphones
- Visible Busylight
- Dual Devices Connection
- Built-in Battery
- Call and Music Mode



WH62 & WH63
Essential DECT Wireless Headset

- Acoustic shield
- Optima audio experience
- Four wearing options
- Multiple device connection



WH66 & WH67 UCworkstation
Premium DECT Wireless Headset

- All devices in one
- All connection in one
- All control in one
- Customizable busylight



BH72
Essential Bluetooth Wireless Headset

- Retractable Hidden Microphone Arm
- Dual Noise-Canceling Microphones
- Up to 40 hours wireless battery life
- Qi wireless charging
- Dual Visible Busylight



Speakerphone



CP700

Medium Level Portable Speakerphone
Ideal for on-the-go and meetings of up to 4 people



High-quality audio




Ease of connection



Portable design



Low learning cost



Good for huddle rooms



CP900

Premium Level Portable Speakerphone
Ideal for on-the-go and meetings of up to 6 people



High-quality audio




Ease of connection



Portable design



Low learning cost



Good for huddle rooms



Camera



UVC20 Personal Desktop Webcam

Immediate brilliant video experience for personal desktop



5 Mega-pixel



Smart Light*



Omni-direction Mic



Rotatable Lens



Built-in Lens Cap



Easy Use & Management



UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support



Superb Image Quality



Auto-Framing



120° Field of View



Easier for PTZ Control



Easy for setup & management



UVC34

All-in-One USB video bar for small and huddle rooms and work from home scenario



Auto Framing Enhancement



AI Face



Wide-angle Lens



Electric Lens Cap



Remote Device Management



8 Microphone Array & Built-in Speaker



UVC40

All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms



Auto Framing



Speaker Tracking



20 MP Camera



Electric Lens Cap



Remote Device Management



8 Microphone Array & Built-in Speaker





UVC84
4K PTZ Camera for medium and large room
with perfect display



4K
UHD



12x Optical
Zoom



Auto
Framing



PTZ
Control



Audio
Scalability



privacy
protection



UVC86
Dual-eye 4K Intelligent Tracking Camera for Medium and
Large Rooms



4K-
20X PTZ



Auto
Framing



Speaker
Tracking



Presenter
Tracking



Audio
Scalability



Dual-Camera
System



Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD.
Email: ucinfo@yealink.com | Web: www.yealink.com